

## Test for Ammonium Radical



### General Aim

Test for the presence of ammonium salts.

### Method

Physical properties, solubility, reaction with sodium hydroxide, confirmatory tests.

### Learning Objectives (ILOs)

- Recognize ammonium salts in powder form or solution.
- Apply the principles of safety measures.
- Differentiate between ammonium, calcium and strontium.

### Theoretical Background/Context

**Qualitative chemical analysis**, branch of chemistry that deals with the identification of elements or grouping of elements present in a sample. The techniques employed in qualitative analysis vary in complexity, depending on the nature of the sample. In some cases, it is necessary only to verify the presence of certain elements or groups for which specific tests applicable directly to the sample (e.g., flame tests, spot tests) may be available. More often the sample is a complex mixture, and a systematic analysis must be made in order that all the constituents may be identified. It is customary to classify the methods into two classes: qualitative inorganic analysis and qualitative organic analysis.

- Sample is commonly dissolved in water for the determination of anionic constituents (i.e., negatively charged elements or groupings of elements) and cationic constituents (i.e., positively charged elements or groupings of elements). The procedure followed is based on the principle of treating the solution with a succession of reagents so that each reagent separates a group of constituents. The groups are then treated successively with reagents that divide a large group into subgroups or separate the constituents singly. When a constituent has been separated it is further examined to confirm its presence and to establish the amount present (quantitative analysis). Portions of the material are dissolved separately, and different procedures are used for each to detect the cationic and anionic constituents.
- Qualitative analysis has applications in different fields especially the production of food, water, pesticides, petrochemicals, and pharmaceuticals.
- Ammonium chloride is used as a systemic acidifying agent in treatment of severe metabolic alkalosis, in oral acid loading test to diagnose distal renal tubular acidosis, to maintain the urine at an acid pH in the treatment of some urinary-tract disorders.

### Principle of Work

The purpose of the experiment is the identification of ammonium through the following steps:

- 1) Physical examination.
- 2) Solubility testing.
- 3) Reaction with sodium hydroxide.
- 4) Confirmatory test with nessler's reagent.
- 5) Confirmatory test with sodium cobaltinitrite.
- 6) Confirmatory test with perchloric acid.